

GROUND LEVELLING

- Extremely tough and rugged
- Heavy cylinders
- Pneumatic floating wheels for high adaptability to the ground
- Attachment to the machine



GRADER BLADE



- On/off distributor
- ST52 steel structure
- Manual flow regulator
- Electrical control kit



DUAL GRADER BLADE




- Proportional and on/off distributor
- It works both as a grader blade and as a tilt dozer blade
- Double bevel curved bolted blade
- Over center valve on wheel lifting cylinder



Control joystick







DIMENSIONS

GR 220/270

A	Width	2200/2700
B	Depth	2500
C	Height	1900

The Grader Blade M3 Model Dual can be fitted to the small skid steer loaders with power ranging from 50 to 120 HP is ideal for the preparation and the leveling of lands, roads and yards.


It is equipped with an hydraulically controlled system by push button allowing the inclination at 26°, the oscillation at 15°, the blade height regulation ± 150mm, the lifting of the front wheels, a manual distributor on / off, blade extensions, attachment to the machine, hydraulic hoses and electric control kit.

OPTIONALS

Laser Control System (transmitter excluded) (1)

Left/right side closing plate (2)

Wi-fi control system





MODEL	GR 220/270
Blade width [mm]	2200/2700
Weight [kg]	850
Hydraulic blade inclination r/l	$\pm 26^\circ$
Hydraulic blade oscillation r/l	$\pm 15^\circ$
Blade height [mm]	540

